

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

DATE : 7/16/06 7/19/06

Paper No.:

TO SPE OF : ART UNIT 1654

SUBJECT : Request for Certificate of Correction for Appl. No.: 10/691425 Patent No.: 723091 B2

Please respond to this request for a certificate of correction within 7 days.

Please review the requested changes/corrections as shown in the **COCIN** document(s) in the IFW application image. No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Please complete the response (see below) and forward the completed response to scanning using document code **COCX**.

Virginia Tolbert

Certificates of Correction Branch

703-308-9390 ext. 113

Thank You For Your Assistance

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes do not apply.

☐ **Denied**

State the reasons for denial below.

Comments: _____

Charles Speer


1654
Art Unit

2

HOWREY_{LLP}



10/691425



1111 Louisiana, 25th Floor
Houston, TX 77002-5242
T 713.787.1400
F 713.787.1440
www.howrey.com

Certificate
MAY 09 2006
of Correction

Dennis R. Chesire
T - 713.654.7678
F - 713.787.1440
email: chesired@howrey.com

May 2, 2006

FILE: 11916.0046.DVUS02

CERTIFICATE OF MAILING 37 C.F.R. 1.8	
I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as First Class Mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date below:	
<u>May 3, 2006</u> Date	<u></u> Signature

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RE: *Request for Certificate of Correction*
Patent No. 7,030,091
Dated: April 18, 2006
Entitled: "Non-Aqueous Injectable Formulation Preparation With pH Adjusted for Extended Release of Somatotropin"
Inventor(s): Daniel N. Heintz; Yunhua N. Jeng

Sir:

Enclosed are two originals of the form PTO-1050. Errors of a minor nature are thereon corrected. The errors in Column 1, line 7, and the errors in the Drawings legends are due to Patent Office oversights. The remaining two errors in the claims are Applicant's. A Certificate of Correction is requested under 35 U.S.C. § 254. The Commissioner is authorized to charge the fee of \$100.00 to Deposit Account No. 08-3038/11916.0046.DVUS02 for filing this Certificate of Correction. Should any additional fees under 37 C.F.R. §§ 1.16 to 1.21 be required or any overpayment be made for any reason relating to the enclosed materials, the Commissioner is authorized to deduct/credit the Deposit Account No. 08-3038/11916.0046.DVUS02 for same.

MAY 9 2006

HOWREY_{LLP}

Commissioner for Patents

May 2, 2006

Page 2

Should you have any questions, please contact me directly at (713) 654-7678. Please forward any reply to this communication directly to Howrey LLP, c/o IP Docketing Department, 2941 Fairview Park Drive, Suite 200, Falls Church, VA 22042.

Respectfully submitted,



Dennis R. Chesire

Reg. No. 57,452

DRC:bks

Encls.

MAY 9 2006

UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO. : 7,030,091 B2
 DATED : April 18, 2006
 INVENTOR(S) : Daniel N. Heintz and Yunhua N. Jeng

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

- ✓ Drawings Sheet 1, Fig. 1, delete the first line of the legend and replace it with--Figure 1: Comparison of bST Release Profiles in Rodents--.
- ✓ Drawings Sheet 2, Fig. 3, delete the first line of the legend and replace it with--Figure 3: Comparison of bST Release Profiles in Cows--.
- ✓ Column 1, Line 7, after "now" delete [S.].
- ✓ Column 19, Line 1, after "of" first occurrence add --claim--.
- ✓ Column 19, Line 29, after "95%" delete the comma [,].

MAILING ADDRESS OF SENDER
 Dennis R. Chesire
 HOWREY LLP
 1111 Louisiana, 25th Floor
 Houston, Texas 77002-5242

PATENT NO. 7,030,091 B2
 No. of add'l. copies
 @ 50¢ per page
 ➡ 0

MAY 9 2006

PRINTER'S TRIM LINE

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,030,091 B2
DATED : April 18, 2006
INVENTOR(S) : Daniel N. Heintz and Yunhua N. Jeng

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Drawings Sheet 1, Fig. 1, delete the first line of the legend and replace it with--Figure 1:
Comparison of bST Release Profiles in Rodents--.

Drawings Sheet 2, Fig. 3, delete the first line of the legend and replace it with--Figure 3:
Comparison of bST Release Profiles in Cows--.

Column 1, Line 7, after "now" delete [S.].

Column 19, Line 1, after "of" first occurrence add --claim--.

Column 19, Line 29, after "95%" delete the comma [,].

MAILING ADDRESS OF SENDER:
Dennis R. Chesire
HOWREY LLP
1111 Louisiana, 25th Floor
Houston, Texas 77002-5242

PATENT NO. 7,030,091 B2
No. of add'l. copies
@ 50¢ per page

⇒ 0